


## Scali Manage 5.2.0 Supported Platforms

<u>Vendor</u>	<u>Model #</u>	<u>Options</u>	<u>CPU</u>	<u>Red Hat RHEL 3 (1,2)</u>	<u>RHEL 4 (1)</u>	<u>SUSE SLES 9</u>
<b>Generic</b>			IA32	MCP	MCP	MCP
			EM64T	MCP	MCP	MCP
			IA64	MCP	MCP	MCP
			AMD64	MCP	MCP	MCP
<b>Dell</b>	PE650		IA32			
	PE750	DRACIII/XT	IA32			
	PESC1425		EM64T			
	PE1550	ERA/O	IA32			
	PE1650	ERA/O	IA32			
	PE1750	ERA/O	IA32			
	PE1850		EM64T			
	PE1855		EM64T			
	PE2650		IA32			
	PE2850		EM64T			
	PE3250		IA64			
	PE6650	DRACIII	IA32	C	C	C
	<b>HP</b>	BL20pG2		IA32		
BL20pG3			EM64T			
BL25p			AMD64			
BL30p			EM64T			
BL35p			AMD64			
DL140			IA32	(3)		
DL140G2			EM64T			
DL145			AMD64			
DL145G2			AMD64			
DL360G1			IA32			
DL380G1			IA32			
DL360G2			IA32			
DL380G2			IA32			
DL360G3			IA32			
DL380G3			IA32			
DL360G4			EM64T			
DL380G4			EM64T			
DL385			AMD64	(4)	(4)	(4)
DL585			AMD64	(4)	(4)	(4)
RX1600			IA64			
RX1620			IA64			
RX2600			IA64			
RX2620			IA64			
ZX2000			IA64	M	M	M
ZX6000			IA64	M	M	M

<b>IBM</b>	e325		AMD64			
	e326		AMD64			
	x335		IA32	MCP	MCP	MCP
	x336		EM64T			
	x345		IA32	MCP	MCP	MCP
<b>SGI</b>	Altix 350		IA64	MC	MC	MC
<b>Sun</b>	V20z		AMD64	C	C	C
	V40z		AMD64	MC	MC	MC
	V60z		AMD64	MC	MC	MC
	X4200		AMD64	C	C	C
<b>Fujitsu Siemens</b>	CNO104		AMD64	MCP	MCP	MCP
	RX200		IA32	MCP	MCP	MCP

**Notes:**

 = Certified

Certified nodes have been fully tested to work with Scali Manage. The necessary configuration is performed automatically subject to prerequisites in the software release notes. This generally includes the automatic configuration of features such as power, console and environmental monitoring where applicable.

To obtain a fully certified status, the product must have passed a set of formal verification tests that are documented, dated and signed. Such documentation is available upon request. Please note that some manual configuration of certified nodes may be required due to variations in product shipments from the vendor.

 = Approved

Approved status is given to components that are expected to work with Scali Manage either out-of-the box, or subject to prerequisites in release notes after some manual configuration.

**M** = Hardware environmental monitoring support not available

**C** = Console support requires external console switch

**P** = Power switching support requires external power switch

- 1) WS not supported on frontends, only for compute nodes
- 2) EM64T on RHEL 3 requires Update 2 or higher
- 3) Monitoring software is only available for certain kernels.  
Must be manually installed, external power and console switching
- 4) Monitoring software does not cover all available sensors